

Include Headers

```
#include <headerfile>
```

Common Headers / Libraries

```
#include <stdio.h> I / O functions
```

```
#include <string.h> string functions
```

```
#include <time.h> time functions
```

```
#include <stdlib.h> memory, rand, ...
```

```
#include <math.h> math functions
```

```
#include <iostream.h>
```

```
#include <fstream.h> I / O file functions
```

```
#include "myfile.h" Insert file in current directory
```

Namespaces

```
using namespace std;
```

Comments

```
// One line comment text
```

```
/* multiple line block comment text */
```

Basic Variable Types

NUMBER

```
int a; float a;
```

CHARACTER

```
char car; string s;
char car = 'c'; string s = "hola mon";
```

BOOL

```
bool b = false/true;
```

Basic input / Output Operators

```
cin cin >> var
```

```
cout cout<<"The variable has"<<var
```

Basic Operators / Math Operators

```
+ Add - Less
```

```
* Mult / Div
```

```
% Mod
```

```
++var / --var var++ / var--
```

Conditionals

```
A == B if A is equal to B, this is true;
        otherwise, it's false
```

```
A != B if A is NOT equal to B, this is true;
        otherwise, it's false
```

```
A < B if A is less than B, this is true;
        otherwise, it's false
```

```
A > B if A is greater B, this is true;
        otherwise, it's false
```

```
A <= B if A is less than or equal to B, this
        is true; otherwise, it's false
```

```
A >= B if A is greater or equal to B, this is
        true; otherwise, it's false
```

```
A ! B if A
```

```
A && B if condition A and condition B are
        true, this is true; otherwise, it's
        false.
```

```
A || B if condition A or condition B is
        true, this is true; otherwise, it's
        false.
```

Boolean expressions in C++ are evaluated left to right!

Arrays

```
type array_name [ # of elements ];
```

```
int price [10];
```

```
type array_name [# elements] [# elements];
```

```
int price [5] [10];
```

· Array index starts at 0.

· Ex: Access 3rd element : cout<<price [2];

Control Flow

if sentence

```
if ( conditional ) {
    // do something
}
else if ( another_conditional ) {
    // do something else
}
else {
    // do something as default
}
```

while sentence

```
while ( conditional ) {
    // do something
}
placing "break;" breaks out of the loop.
placing "continue;" jumps to next loop.
```

for sentence

```
for ( init; test; command ) {
    // do something
}
"break;" and "continue;" identical effects.
```

do while sentence

```
do {
    //do something
} while (bool expression);
```

switch case sentence

```
switch ( variable )
{
    case value1:
        // do something;
        break;
    case value2:
        // do something else;
        break;
    [default:
        // do something by default:
        break; ]
}
```



File Input / Output

```
#include <fstream.h>
ifstream file; //read buffer
ofstream file; //write buffer
file.open ("file name ", [file
mode constant]);
//Test if the file was created
if(file.is_open()) if(file)
//Read s/W rites like cin and
cout
file >> var; //Read
file << "Text: " << var <<
endl; //Write
//Read Entire line
getline (file, String);
//Read until it arrives at the
end of file
while( file.eof())
//Detect if the read/write fail
if(file.fail())
//Close File
file.close();
```

File Mode Constants

ios::in //Opens file for reading
ios::out //Opens file for writing
ios::app //Causes output to be appended at EOF
ios::trunc //Destroys the previous contents
ios::nocreate //Causes open() to fail if file doesn't already exist
ios::noreplace //Causes open() to fail if file already exists

Procedures

```
//Declaration
void Procedure Name()
{
    // do something
}
//Call to procedure
Procedure Name();
```

In the procedures we don't receive variables and don't return other variable.

Functions

```
//Declaration
[returnType] functionName (
[input1Type input1 Name,
input2Type input2 Name, ...] )
{
    // do something
    return value; // value
must be of type returnType
}
//Call to function
[returnType var =] functi -
onName ([input1Type input1 Name,
input2Type input2 Name, ...])
```

We have two methods to create and call functions:
passed with values and passed for reference.

Pass by reference : we put & before variable in the declaration.

Structures

Structure declaration :

```
struct <structure_name>
{
    <type> <name>, <name>, ... ;
    <type> <name>, <name>, ... ;
}
```

Var declaration with structure type :

```
<structure_name> var_name;
```

Acces to structure :

```
var_name.name;
```



By **jofre pla**
cheatography.com/jofre-pla/

Published 4th April, 2016.
Last updated 19th May, 2016.
Page 2 of 2.

Sponsored by **ApolloPad.com**
Everyone has a novel in them. Finish
Yours!
<https://apollopad.com>